

**2011 PHP Commercial 2-Tier Closed Formulary
 by Therapeutic Class**

AG = Age Limitation
 PE = Pharmacy Exception Required
 QL = Quantity Limits Apply
 ST = Step Edit
 * = Generics Preferred/Generic equivalent available.

Generic Name **Brand Name**

| Generic Name | | Brand Name |
|---------------------|--|----------------------------|
| 1 | Allergy | |
| 1.1 | Antihistamines - Sedating | |
| | * diphenhydramine | BENADRYL |
| | * hydroxyzine hcl | ATARAX |
| | * hydroxyzine pamoate | VISTARIL |
| | * promethazine | PHENERGAN |
| | * clemastine fumarate | TAVIST |
| 1.2 | Non/low-sedating Antihistamines | |
| | * fexofenadine tabs | ALLEGRA |
| 1.3 | Antihistamine/decongestant combinations | |
| 1.4 | Nasal steroids/antihistamines | |
| | * azelastine nasal spray 0.1% | ASTELIN |
| | beclomethasone nasal inhaler AQ | BECONASE AQ (ST) |
| | budesonide nasal spray | RHINOCORT AQUA (ST) |
| | * flunisolide nasal solution | NASAREL |
| | * fluticasone nasal inhaler | FLONASE |
| | mometasone nasal inhaler | NASONEX (ST) |
| | * triamcinolone acetonide nasal inhaler | NASACORT AQ |
| 1.5 | Allergy - misc. | |
| | epinephrine self-injection device | EPIPEN |
| 2 | Respiratory Agents | |
| 2.1 | Oral sympathomimetic (adrenergic) agents | |
| | * albuterol tabs | PROVENTIL |
| | * albuterol ER tabs | VOSPIRE ER |
| | * terbutaline tabs | BRETHINE |
| 2.2 | Inhaled sympathomimetic (adrenergic) agents | |
| | albuterol HFA inhaler | PROAIR HFA |
| | albuterol HFA inhaler | VENTOLIN HFA |
| | * albuterol solution for nebs | ACCUNEB |
| | pirbuterol acetate inhaler | MAXAIR |
| | salmeterol inhaler | SEREVENT DISKUS |
| | formoterol inhaler | FORADIL |
| 2.3 | Theophylline preparations | |
| | * caffeine citrate solution | CAFECIT |
| | * theophylline timed release 12 hr tabs | THEODUR |
| | * theophylline elixir | ELIXOPHYLLIN |
| | * theophylline timed release 12 hr caps | SLOBID |
| | * theophylline syrup | SLO-PHYLLIN |
| | * theophylline immediate release | THEOLAIR |
| | * theophylline timed release 24 hr | UNIPHYL |
| 2.4 | Anticholinergic | |
| | * ipratropium bromide solution for nebs | ATROVENT solution for nebs |
| | ipratropium/albuterol inhaler | COMBIVENT |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|--|-------------------------|
| | * ipratropium/albuterol solution for nebs | DUONEB |
| | ipratropium bromide inhaler | ATROVENT HFA |
| | tiotropium bromide inhalation powder | SPIRIVA |
| 2.5 | Mast cell stabilizers | |
| | * cromolyn sodium inhaler | INTAL |
| 2.6 | Oral inhaled steroids | |
| | beclomethasone inhaler | QVAR PULMICORT |
| | budesonide dry powder inhaler | FLEXHALER/TURBUHALER |
| | * budesonide suspension for inhalation | PULMICORT RESPULES (AG) |
| | budesonide/formoterol inhaler | SYMBICORT (ST) (QL) |
| | fluticasone inhaler | FLOVENT DISKUS |
| | fluticasone inhaler | FLOVENT HFA |
| | fluticasone/salmeterol inhaler | ADVAIR DISKUS (ST) |
| | fluticasone/salmeterol inhaler | ADVAIR HFA (ST) |
| | mometasone inhaler | ASMANEX TWISTHALER |
| 2.7 | Leukotriene blockers | |
| | montelukast | SINGULAIR (ST) (QL) |
| | * zafirlukast | ACCOLATE |
| 2.80 | Inhaled Medications - misc. | |
| | * acetylcysteine | MUCOMYST |
| | dornase alfa | PULMOZYME |
| | tobramycin, inhaled | TOBI |
| 2.9 | Endothelin Receptor Antagonists | |
| 3 | Cough and Cold | |
| 3.1 | Non-narcotic antitussives | |
| | * benzonatate | TESSALON PERLES |
| 3.2 | Upper Respiratory - Cough/Cold/Allergy Combinations | |
| | brompheniramine/pseudoephedrine syp 4-45mg/5mL | SILDEC SYP |
| | chlorpheniramine/PE/methscopolamine | |
| | * chew tab 2-10-0.625mg | QV-ALLERGY SYP |
| | chlorpheniramine/PE/methscopolamine syr 2-10-1.25mg | DALLERGY CHW |
| | chlorpheniramine/phenylephrine sus 2-6mg/mL | ED CHLORPED SUS D |
| | chlorpheniramine/phenylephrine sus 4-5.5mg/5mL | RYNATAN PED SUS |
| | * chlorpheniramine/ phenylephrine sus 4-20mg/5mL | DALLERGY-JR SUS |
| | chlorpheniramine/ phenylephrine tab 9-25mg | RYNATAN TAB |
| | * chlorpheniramine/pyrilamine & PE liq 2-10-10mg/5mL | PHENA-S LIQ |
| | chlorpheniramine/pyrilamine % PE liq 2-12.5-7.5mg/mL | POLY HIST PD LIQ |
| | * chlorpheniramine/pyrilamine & PE tab CR 4-25-10mg | RU-HIST TAB FORTE |
| | dextromethorphan-guaifenesin tab SR 12HR 30-600mg | MUCINEX DM |
| | * guaifenesin/codeine cap 200-9mg | PRO-CLEAR CAP 200-9MG |
| | * guaifenesin/codeine liq 200-10mg/5mL | TUSSO-C LIQ 200-10MG |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | |
|--|---------------------------|
| * guaifenesin/codeine liq 300-10mg/5mL | DEX-TUSS LIQ |
| * guaifenesin/codeine soln 100-6.3mg/5mL | CGU WC LIQ |
| * guaifenesin/codeine soln 100-10mg/5mL | CHERATUSSIN SYP AC |
| guaifenesin/codeine tab 300-10mg | BRONTEX TAB |
| hydrocodone/homatropine syp 5-1.5mg/5mL | HYDROMET SYP |
| * hydrocodone/homatropine tab 5-1.5mg | TUSSIGON |
| * phenylephrine/clorpheniramine/DM syp | BRONKIDS SYP 10-2-15 |
| phenylephrine/guaifenesin cap 10-390mg | DECONEX CAP 10-390MG |
| phenylephrine/guaifenesin cap SR 12HR 30-400mg | GENEXA LA CAP 30-400MG |
| phenylephrine/guaifenesin drops 2.5-50mg/mL | SUPRESS-PE DROP PEDIATRIC |
| phenylephrine/guaifenesin liq 7.5-200mg/5mL | NARIZ LIQ 7.5-200 |
| * phenylephrine/guaifenesin tab 5-200mg | LIQUIBID PD-TAB R |
| phenylephrine-guaifenesin tab 10-388mg | GILPHEX TR TAB 10-388MG |
| phenylephrine/guaifenesin tab SR 12HR 25-1200mg | SIMUC-GP TAB 25-1200 |
| * promethazine/codeine syp 6.25-10mg/5mL | PROMETH/COD SYP |
| * promethazine/DM syp 6.25-15mg/mL | PROMETHAZINE-DM SYP |
| promethazine/phenylephrine syp 6.25-5mg/5mL | PROMETH VC SYP |
| * promethazine/phenylephrine/codeine syp 6.25-5-10mg/5mL | PROMETH VC/ COD SYP |
| pseudoephedrine/bromheniramine/DM liq 12-1-5mg/mL | RESPERAL-DM DROP 12-1-5MG |
| pseudoephedrine/bromheniramine/DM liq 12.5-1-3mg/mL | ENDACOF-PD DROP |
| pseudoephedrine/brompheniramine/DM liq 15-1-4mg/mL | ACCUHIST DM DROP PED |
| pseudoephedrine/brompheniramine/DM syp 30-1-20mg/5mL | DELTUSS DMX LIQ |
| pseudoephedrine/brompheniramine/DM syp 30-3-15mg/5mL | DALLERGY DM SYP |
| * pseudoephedrine/brompheniramine/DM syp 45-4-15mg/5mL | SILDEC DM SYP |
| * pseudoephedrine/brompheniramine/DM syp 50-3-30mg/5mL | NEO DM SYP |
| * pseudoephedrine/cod/guaifenesin syp 30-10-100mg/5mL | SUTTAR SF SYP |

4 Anti-Infective Agents

4.1 Antihelmintics

| | |
|---------------|-------------|
| albendazole | ALBENZA |
| * mebendazole | VERMOX (QL) |
| praziquantel | BILTRICIDE |

4.2 Antifungal agents

| | |
|------------------------------|------------------|
| * ciclopirox 8% nail lacquer | PENLAC (PE) (QL) |
| * clotrimazole troche | MYCELEX TROCHE |
| * fluconazole tabs. | DIFLUCAN |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|---|-------------------|
| | * fluconazole suspension | DIFLUCAN (QL) |
| | griseofulvin ultramicrosize | GRIS-PEG |
| | * ketoconazole tabs | NIZORAL |
| | * nystatin | MYCOSTATIN |
| | * terbinafine | LAMISIL (QL) |
| | * voriconazole tablet, oral suspension | VFEND (PE) (QL) |
| 4.3 | Cephalosporins first generation | |
| | * cephalexin cap | KEFLEX CAPSULES |
| | * cefadroxil | DURICEF |
| 4.4 | Cephalosporins second generation | |
| | * cefaclor | CECLOR |
| | * cefprozil | CEFZIL |
| | * cefuroxime | CEFTIN |
| 4.5 | Cephalosporins third generation | |
| | cefdinir | OMNICEF |
| | cefixime | SUPRAX |
| | * cefpodoxime | VANTIN |
| 4.6 | Cephalosporins carbacephems | |
| 4.7 | Macrolides | |
| | * azithromycin | ZITHROMAX |
| | * clarithromycin | BIAXIN (QL) |
| | erythromycin base | ERYTHROMYCIN TABS |
| | * erythromycin ethylsuccinate | EES |
| | * erythromycin stearate | ERYTHROCIN |
| | erythromycin tabs delayed release | ERY-TAB |
| | * erythromycin/sulfisoxazole | PEDIAZOLE |
| | fidaxomicin | DIFICID (PE) (QL) |
| 4.8 | Penicillins | |
| | * penicillin v potassium | PEN-VEE K |
| | * amoxicillin | AMOXIL, TRIMOX |
| | * ampicillin | OMNIPEN |
| | * dicloxacillin | DYNAPEN |
| | * amoxicillin/clavulanate | AUGMENTIN |
| 4.9 | Tetracyclines | |
| | * demeclocycline | DECLOMYCIN |
| | * doxycycline hcl 50, 100mg | VIBRATAB |
| | * tetracycline | ACHROMYCIN |
| | * minocycline caps | MINOCIN |
| 4.10 | Quinolones | |
| | * ciprofloxacin | CIPRO |
| | ciprofloxacin suspension | CIPRO SUSPENSION |
| | gemfloxacin | FACTIVE |
| | * levofloxacin | LEVAQUIN |
| | norfloxacin | NOROXIN |
| | * ofloxacin | FLOXIN |
| 4.11 | Antituberculosis | |
| | * isoniazid | ISONIAZID |
| | * ethambutol | MYAMBUTOL |
| | * pyrazinamide | PYRAZINAMIDE |
| | rifabutin | MYCOBUTIN |
| | * rifampin | RIFADIN |
| | rifapentine | PRIFTIN |
| 4.12 | Antivirals | |
| | * amantadine | SYMMETREL |
| | * acyclovir | ZOVIRAX |
| | * famciclovir | FAMVIR |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|-------------------------------------|--------------------|
| | * ganciclovir | CYTOVENE |
| | oseltamivir | TAMIFLU (QL) |
| | * valacyclovir | VALTREX |
| | valganciclovir | VALCYTE (PE) (QL) |
| | zanamivir | RELENZA (QL) |
| 4.13 | HIV Antivirals | |
| | abacavir | ZIAGEN |
| | abacavir/lamivudine | EPZICOM |
| | abacavir/lamivudine/zidovudine | TRIZIVIR |
| | atazanavir | REYATAZ |
| | darunavir | PREZISTA |
| | delavirdine | RESCRIPTOR |
| | didanosine | VIDEX |
| | * didanosine cap | VIDEX EC |
| | efavirenz | SUSTIVA |
| | efavirenz/emtricitabine/tenofovir | ATRIPLA |
| | emtricitabine | EMTRIVA |
| | emtricitabine/rilpivirine/tenofovir | COMPLERA |
| | emtricitabine/tenofovir | TRUVADA |
| | enfuvirtide | FUZEON |
| | etravirine 100mg | INTELENCE 100mg |
| | fosamprenavir | LEXIVA |
| | indinavir | CRIXIVAN |
| | lamivudine | EPIVIR |
| | lamivudine/zidovudine | COMBIVIR |
| | lopinavir/ritonavir | KALETRA |
| | maraviroc | SELZENTRY |
| | nelfinavir | VIRACEPT |
| | nevirapine | VIRAMUNE (QL) |
| | nevirapine er | VIRAMUNE XR (QL) |
| | raltegravir | ISENTRESS |
| | rilpivirine | EDURANT (SP) |
| | ritonavir | NORVIR |
| | saquinavir | INVIRASE |
| | * stavudine | ZERIT |
| | tenofovir | VIREAD |
| | tipranavir | APTIVUS |
| | * zidovudine oral | RETROVIR |
| 4.14 | Antimalarial agents | |
| | * chloroquine phosphate | ARALEN PHOSPHATE |
| | pyrimethamine/sulfadoxine | FANSIDAR |
| | primaquine | PRIMAQUINE |
| | * hydroxychloroquine | PLAQUENIL |
| 4.15 | Sulfonamides | |
| | * sulfamethoxazole/trimethoprim | BACTRIM, SEPTRA |
| 4.16 | Sulfones | |
| | dapsone | DAPSONE |
| 4.17 | Urinary | |
| | * trimethoprim | PROLOPRIM, TRIMPEX |
| | * nitrofurantoin | MACRODANTIN |
| | * nitrofurantoin macrocrystals | MACROBID |
| | * nitrofurantoin suspension | FURADANTIN |
| 4.18 | Anti-Infectives - misc. | |
| | * metronidazole | FLAGYL |
| | * neomycin | NEOMYCIN |
| | * clindamycin cap | CLEOCIN |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|---|----------------------------------|--------------------------|
| | clindamycin | CLEOCIN PEDIATRIC |
| | atovaquone | MEPRON |
| | vancomycin | VANCOCIN PULVULES (PE) |
| | vancomycin injection (compounded | VANCOMYCIN INJECTION |
| | * suspension) | COMPOUND |
| | influenza nasal vaccine, live | FLUMIST |
| | rifaximin | XIFAXAN (PE) (QL) |
| | linezolid | ZYVOX (PE) |
| 4.19 Hepatitis Treatment | | |
| | boceprevir | VICTRELIS (PE) (SP) (QL) |
| | interferon alfa 2b | INTRON-A (PE) (SP) |
| | interferon alfacon-1 | INFERGEN (PE) (SP) |
| | lamivudine | EPIVIR |
| | lamivudine | EPIVIR HBV |
| | peg-interferon alfa-2a | PEGASYS (PE) (SP) |
| | peg-interferon alfa-2b | PEG-INTRON (PE) (SP) |
| | * ribavirin | REBETOL (PE) (SP) |
| | telaprevir | INCIVEK (PE) (SP) (QL) |
| 4.20 Vaccines | | |
| | influenza nasal vaccine, live | FLUMIST |
| | zoster vaccine, live | ZOSTAVAX (AG) |
| 5 Antineoplastic Agents/Immunosuppressants | | |
| 5.1 Alkylating agents | | |
| | altretamine | HEXALEN (PE) (SP) |
| | busulfan | MYLERAN (PE) (SP) |
| | chlorambucil | LEUKERAN (PE) (SP) |
| | cyclophosphamide | CYTOXAN |
| | estramustine | EMCYT (PE) (SP) |
| | lomustine | CEENU (PE) (SP) |
| | melphalan | ALKERAN |
| | procarbazine | MATULANE (PE) (SP) |
| | temozolomide | TEMODAR (PE) (SP) |
| 5.2 Antimetabolites | | |
| | capecitabine | XELODA (PE) (SP) |
| | fludarabine | OFORTA (PE) (SP) |
| | * mercaptopurine | PURINETHOL |
| | * methotrexate | RHEUMATREX, TREXALL |
| | * methotrexate injection | METHOTREXATE INJ |
| | thioguanine | TABLOID (PE) (SP) |
| 5.3 Androgens | | |
| | fluoxymestrone | ANDROXY (PE) |
| 5.4 Anti-androgen | | |
| | * bicalutamide | CASODEX |
| | * flutamide | EULEXIN |
| 5.5 Progestin | | |
| | * megestrol acetate | MEGACE |
| | * megestrol acetate | MEGACE ES (PE) |
| 5.6 Antiestrogen | | |
| | abiraterone | ZYTIGA (PE) (SP) |
| | * anastrozole | ARIMIDEX |
| | * exemestane | AROMASIN |
| | * letrozole | FEMARA |
| | * tamoxifen citrate | NOLVADEX |
| | toremifene | FARESTON (PE) (SP) |
| 5.7 Antineoplastics Agents - misc. | | |
| | dasatinib | SPRYCEL (PE) (SP) |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|---|---------------------|
| | erlotinib | TARCEVA (PE) (SP) |
| | everolimus | AFINITOR (PE) (SP) |
| | gefitinib | IRESSA (PE) |
| | * hydroxyurea | HYDREA |
| | imatinib | GLEEVEC (PE) (SP) |
| | interferon gamma | ACTIMMUNE (SP) |
| | lenalidomide | REVLIMID (PE) (SP) |
| | leucovorin tab | LEUCOVORIN |
| | mesna | MESNEX |
| | mitotane | LYSODREN |
| | peginterferon alfa 2b | SYLATRON (PE) (SP) |
| | thalidomide | THALOMID (PE) |
| | topotecan | HYCAMTIN (PE) (SP) |
| 5.8 | Immunosuppressants | |
| | * azathioprine | IMURAN |
| | * cyclosporine | SANDIMMUNE |
| | * cyclosporine modified | GENGRAF, NEORAL |
| | * mycophenolate mofetil | CELLCEPT |
| | mycophenolic acid | MYFORTIC |
| | sirolimus | RAPAMUNE |
| | * tacrolimus | FK506, PROGRAF |
| 5.9 | Immunoglobulins | |
| | immune globulin subcutaneous - human | GAMUNEX-C (PE) |
| | immune globulin subcutaneous - human | HIZENTRA (PE) |
| | immune globulin subcutaneous - human | VIVAGLOBIN (PE) |
| 5.10 | Kinase Inhibitors | |
| | crizotinib | XALKORI (PE) (SP) |
| | lapatinib | TYKERB (PE) (SP) |
| | nilotinib | TASIGNA (PE) (SP) |
| | pazopanib | VOTRIENT (PE) (SP) |
| | sorafenib | NEXAVAR (PE) (SP) |
| | sunitinib | SUTENT (PE) (SP) |
| | vandetanib | CAPRELSA (PE) |
| | vemurafenib | ZELBORAF (PE) (SP) |
| 5.11 | Mitosis Inhibitors | |
| | etoposide caps | ETOPOSIDE CAPS (SP) |
| 5.12 | Differentiating Agents | |
| | bexarotene | TARGRETIN (PE) (SP) |
| | vorinostast | ZOLINZA (PE) (SP) |
| 6 | Autonomic Agents | |
| 6.1 | Parasympathomimetic (cholinergic) agents | |
| | * bethanechol | URECHOLINE |
| | * pilocarpine tab | SALAGEN (QL) |
| | * pyridostigmine | MESTINON |
| 6.2 | Anticholinergic agents | |
| | * benztropine mesylate | COGENTIN |
| | * trihexyphenidyl immediate release | ARTANE IR |
| 6.3 | Antiparkinsonian agents | |
| | * amantadine | SYMMETREL |
| | apomorphine | APOKYN (PE) (SP) |
| | * bromocriptine | PARLODEL |
| | carbidopa/levodopa/entacapone | STALEVO |
| | entacapone | COMTAN |
| | * levodopa and carbidopa | SINEMET |
| | * levodopa/carbidopa sustained release | SINEMET CR |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|------------|--|--------------------|
| | * pramipexole | MIRAPEX |
| | rivastigmine | EXELON |
| | * ropinirole | REQUIP |
| | * selegiline | ELDEPRYL |
| | tolcapone | TASMAR |
| 6.4 | Antimuscarinics / antispasmodics | |
| | * belladonna/phenobarb/ergotamine | BELLERGAL S |
| | * chlordiazepoxide/clidinium bromide | LIBRAX |
| | darifenacin | ENABLEX (ST) |
| | * dicyclomine | BENTYL |
| | * belladonna alkaloids/phenobarb | DONNATAL |
| | * hyoscyamine | LEVBID/LEVSIN |
| | * propantheline | PRO-BANTHINE |
| 6.5 | Alpha-adrenergics (vasopressors) | |
| | * midodrine | PROAMATINE |
| 7 | Anticoagulants/Blood Modifiers/Hematopoietic Agents | |
| 7.1 | Anticoagulants | |
| | * heparin sodium injection | HEPARIN |
| | * enoxaparin | LOVENOX (QL) |
| | * fondaparinux | ARIXTRA (PE) |
| | * warfarin | COUMADIN |
| 7.2 | Anti-platelets | |
| | clopidogrel | PLAVIX |
| | prasugrel | EFFIENT (PE) |
| | ticlopidine | TICLID |
| 7.3 | Anticoagulants and Anti-Platelet misc. | |
| | * anagrelide | AGRYLIN |
| | * cilostazol | PLETAL |
| | dipyridamole/aspirin | AGGRENOX |
| | * pentoxifylline | TRENTAL |
| 7.4 | Hematopoietic Agents | |
| | darbepoetin alfa | ARANESP (PE) |
| | epoetin alfa | EPOGEN (PE) |
| | epoetin alfa | PROCRIT (PE) |
| | filgrastim | NEUPOGEN (PE) |
| | oprelvekin | NEUMEGA (PE) (SP) |
| | pegfilgrastim | NEULASTA (PE) |
| 7.5 | Hemostatic Agents | |
| | * aminocaproic acid | AMICAR |
| 8 | Cardiovascular Agents | |
| 8.1 | Cardiac glycosides | |
| | * digoxin tabs | LANOXIN TABS |
| 8.2 | Calcium Antagonists | |
| | * amlodipine | NORVASC |
| | * diltiazem | CARDIZEM |
| | * diltiazem sustained release | DILACOR XR, TIAZAC |
| | * felodipine | PLENDIL |
| | * isradipine | DYNACIRC CR |
| | * nicardipine | CARDENE |
| | nicardipine er | CARDENE SR |
| | * nifedipine | PROCARDIA |
| | * nifedipine sustained release | ADALAT CC |
| | * nifedipine sustained release | PROCARDIA XL |
| | * nimodipine | NIMOTOP |
| | * nisoldipine 20, 30, 40mg | SULAR |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|---|----------------------|
| | * verapamil | CALAN |
| | * verapamil controlled release | CALAN SR |
| | * verapamil sustained release | VERELAN, VERELAN PM |
| 8.3 | Beta-Adrenergic Antagonists - Nonselective | |
| | * nadolol | CORGARD |
| | penbutolol | LEVATOL |
| | * pindolol | VISKEN |
| | * propranolol sustained release | INDERAL LA |
| | * propranolol | INDERAL |
| | * sotalol | BETAPACE |
| | * timolol | TIMOLOL |
| 8.4 | Beta-Adrenergic Antagonists - Selective | |
| | * acebutolol | SECTRAL |
| | * atenolol | TENORMIN |
| | * betaxolol | KERLONE |
| | * bisoprolol | ZEBETA |
| | * metoprolol | LOPRESSOR |
| | * metoprolol sustained release | TOPROL XL |
| | nevigolol | BYSTOLIC |
| 8.5 | Beta-Adrenergic Antagonists - Combination Alpha and Beta Blocker | |
| | * carvedilol | COREG |
| | * labetalol | NORMODYNE, TRANDATE |
| 8.6 | Beta-Adrenergic Antagonists - Combination Products | |
| | * atenolol/chlorthalidone | TENORETIC |
| | * bisoprolol/hydrochlorothiazide | ZIAC |
| | * metoprolol/hydrochlorothiazide | LOPRESS HCT |
| 8.7 | Anti-Arrhythmic Drugs - Class Ia | |
| | * procainamide | PROCANBID |
| | * quinidine sulfate | QUINIDINE SULFATE |
| | * quinidine gluconate sustained release | QUINAGLUTE DURA-TABS |
| | * disopyramide | NORPACE |
| | * disopyramide controlled release | NORPACE CR |
| 8.8 | Anti-Arrhythmic Drugs - Class Ib | |
| | * mexiletine | MEXITIL |
| 8.9 | Anti-Arrhythmic Drugs - Class Ic | |
| | * flecainide | TAMBOCOR |
| | * propafenone | RYTHMOL |
| 8.10 | Anti-Arrhythmic Drugs - Class III | |
| | * amiodarone | CORDARONE |
| | dofetilide | TIKOSYN |
| | dronedarone | MULTAQ (PE) (QL) |
| | * sotalol | BETAPACE |
| 8.11 | Angiotensin converting enzyme inhibitor | |
| | * benazepril | LOTENSIN |
| | * captopril | CAPOTEN |
| | * enalapril | VASOTEC |
| | * fosinopril | MONOPRIL |
| | * lisinopril | ZESTRIL |
| | * ramipril | ALTACE |
| | * moexipril | UNIVASC |
| | * perindopril | ACEON |
| | * quinapril | ACCUPRIL |
| 8.12 | Angiotensin combination products | |
| | * amlodipine/benazepril | LOTREL |
| | * benazepril/hydrochlorothiazide | LOTENSIN HCT |
| | * captopril/hydrochlorothiazide | CAPOZIDE |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|---|-------------------|
| | * enalapril/hydrochlorothiazide | VASERETIC |
| | * fosinopril/hydrochlorothiazide | MONOPRIL HCT |
| | * lisinopril/hydrochlorothiazide | ZESTORETIC |
| | * moexipril/hydrochlorothiazide | UNIRETIC |
| | * quinapril/hydrochlorothiazide | ACCURETIC |
| 8.13 | Angiotensin receptor antagonists | |
| | * losartan | COZAAR |
| | * losartan/hydrochlorothiazide | HYZAAR |
| | olmesartan | BENICAR |
| | olmesartan/hydrochlorothiazide | BENICAR HCT |
| | irbesartan | AVAPRO |
| | irbesartan/hydrochlorothiazide | AVALIDE |
| | valsartan | DIOVAN |
| | valsartan/hydrochlorothiazide | DIOVAN HCT |
| | candesartan | ATACAND |
| | candesartan/hydrochlorothiazide | ATACAND HCT |
| 8.14 | Anti-Lipemics - HMG-CoA Reductase Inhibitors | |
| | * lovastatin | MEVACOR |
| | fluvastatin | LESCOL |
| | fluvastatin | LESCOL XL |
| | rosuvastatin | CRESTOR |
| | * simvastatin | ZOCOR |
| | * pravastatin | PRAVACHOL |
| | ezetimibe/simvastatin | VYTORIN |
| 8.15 | Anti-Lipemics - misc. Antihyperlipidemics | |
| | * cholestyramine | QUESTRAN |
| | * cholestyramine | QUESTRAN LIGHT |
| | colesevelam | WELCHOL |
| | * colestipol | COLESTID |
| | ezetimibe | ZETIA |
| | fenofibrate micronized capsule 67mg, | |
| | * 134mg, 200mg | LOFIBRA |
| | * fenofibrate tablet 54mg, 160mg | LOFIBRA |
| | * gemfibrozil | LOPID |
| | niacin sustained release | NIASPAN |
| | niacin/lovastatin | ADVICOR (ST) |
| | niacin/simvastatin | SIMCOR (ST) |
| | omega-3-acid ethyl esters | LOVAZA (QL) |
| 8.16 | Alpha Blockers | |
| | * prazosin | MINIPRESS |
| | * doxazosin | CARDURA |
| | * tamsulosin | FLOMAX |
| | * terazosin | HYTRIN |
| 8.17 | Centrally Acting Antihypertensives | |
| | * clonidine | CATAPRES |
| | * clonidine transdermal | CATAPRES-TTS |
| | * methyl dopa | ALDOMET |
| | * methyl dopa/hydrochlorothiazide | ALDORIL |
| | * guanfacine | TENEX |
| 8.18 | Vasodilating Agents | |
| | * dipyridamole | PERSANTINE |
| | * hydralazine | APRESOLINE |
| | * minoxidil | LONITEN |
| | phenoxybenzamine | DIBENZYLINE |
| | sildenafil | REVATIO (PE) (QL) |
| 8.19 | Nitrates | |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | |
|--|--------------------|
| * nitroglycerin sublingual | NITROSTAT |
| * nitroglycerin ointment | NITRO-BID OINTMENT |
| * isosorbide dinitrate | ISORDIL |
| isosorbide dinitrate controlled release | DILATRATE SR CAP |
| * isosorbide mononitrate | MONOKET |
| * isosorbide mononitrate sustained release | IMDUR |
| * nitroglycerin transdermal | NITRO-DUR |

8.2 Cardiac Misc

| | |
|------------|-------------|
| ranolazine | RANEXA (ST) |
|------------|-------------|

9 Rheumatologic Agents

9.1 Nonsteroidal anti-inflammatory agents

| | |
|--------------------------------------|------------------------|
| * diflunisal | DOLOBID |
| * ibuprofen | MOTRIN |
| * indomethacin | INDOCIN |
| * naproxen | NAPROSYN |
| * naproxen sodium | ANAPROX |
| * naproxen sodium DS | ANAPROX DS |
| * piroxicam | FELDENE |
| * flurbiprofen | ANSAID |
| * ketoprofen | ORUDIS |
| * salsalate | DISALCID |
| * sulindac | CLINORIL |
| * diclofenac sodium | VOLTAREN |
| * diclofenac sodium extended release | VOLTAREN XR |
| diclofenac topical | VOLTAREN GEL (ST) (QL) |
| * indomethacin sustained release | INDOCIN SR |
| * etodolac | LODINE |
| * oxaprozin | DAYPRO |
| * nabumetone | RELAFEN |
| celecoxib | CELEBREX (QL) |
| diclofenac/misoprostel | ARTHROTEC |
| * ketorolac tab | TORADOL (QL) |

9.2 Anti-gout

| | |
|---------------|------------------|
| * allopurinol | ZYLOPRIM |
| colchicine | COLCRYS |
| febuxostat | ULORIC (PE) (QL) |
| * probenecid | BENEMID |

9.3 Rheumatologic Agents - misc.

| | |
|---------------|-----------|
| penicillamine | CUPRIMINE |
| auranofin | RIDAURA |
| * leflunomide | ARAVA |

9.4 Tumor Necrosis Factor Inhibitors

| | |
|------------------------|-----------------------------------|
| abatacept subcutaneous | ORENCIA SUBCUTANEOUS (PE) (SP) |
| adalimumab | HUMIRA (PE) (SP) |
| etanercept | ENBREL (PE) (SP) |

10 Skeletal / Muscle Relaxants

10.1 Skeletal / Muscle Relaxants - misc.

| | |
|-----------------------------------|-------------------|
| * carisoprodol 350mg | SOMA |
| * carisoprodol/asa | SOMA COMPOUND |
| * chlorzoxazone | PARAFON FORTE DSC |
| * cyclobenzaprine 5mg, 10mg | FLEXERIL |
| * methocarbamol tablets | ROBAXIN |
| * baclofen tablets | BACLOFEN |
| * orphenadrine/asa/caffeine forte | NORGESIC FORTE |
| * orphenadrine citrate | NORFLEX |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | |
|--------------------------------------|------------------|
| * carbamazepine sustained release | TEGRETOL-XR |
| * clonazepam | KLONOPIN |
| diazepam gel | DIASTAT (ST) |
| * divalproex sodium | DEPAKOTE |
| * divalproex sodium extended release | DEPAKOTE ER |
| * felbamate | FELBATOL |
| * gabapentin | NEURONTIN |
| * lamotrigine | LAMICTAL |
| * levetiracetam | KEPPRA |
| * oxcarbazepine | TRILEPTAL |
| pregabalin | LYRICA (PE) (QL) |
| tiagabine | GABITRIL |
| * topiramate tablet | TOPAMAX |
| * topiramate capsule | TOPAMAX SPRINKLE |
| * zonisamide | ZONEGRAN |

13 Psychotherapeutic Agents

13.1 Antidepressants - Tertiary Amines

| | |
|------------------|-----------|
| * doxepin | SINEQUAN |
| * amitriptyline | ELAVIL |
| * imipramine hcl | TOFRANIL |
| * clomipramine | ANAFRANIL |

13.2 Antidepressants - Secondary Amines

| | |
|-----------------|-----------|
| * nortriptyline | PAMELOR |
| * desipramine | NORPRAMIN |
| * amoxapine | ASENDIN |

13.3 Antidepressants - SSRI's

| | |
|-----------------------------------|-------------------|
| * fluoxetine capsules and tablets | PROZAC |
| escitalopram | LEXAPRO (ST) (QL) |
| * citalopram | CELEXA (QL) |
| * sertraline | ZOLOFT |
| * paroxetine | PAXIL |
| * paroxetine controlled release | PAXIL CR (ST) |

13.4 Antidepressants - misc.

| | |
|-------------------------------|--------------------------|
| * perphenazine/amitriptyline | ETRAFON, TRIAVIL |
| * trazodone | DESYREL |
| * mirtazapine | REMERON, REMERON SOL-TAB |
| * bupropion | WELLBUTRIN |
| * bupropion sustained release | WELLBUTRIN SR (QL) |
| * bupropion XL | WELLBUTRIN XL (QL) |
| * nefazodone | SERZONE |
| vilazodone | VIIBRYD (PE) (QL) |

13.5 Antidepressants - MAO Inhibitors

| | |
|------------------------|-----------------|
| * phenelzine | NARDIL |
| selegiline transdermal | EMSAM (PE) (QL) |
| * tranylcypromine | PARNATE |

13.6 Antipsychotics - Phenothiazines

| | |
|-------------------|-----------|
| * thioridazine | MELLARIL |
| * perphenazine | TRILAFON |
| * chlorpromazine | THORAZINE |
| * fluphenazine | PROLIXIN |
| * trifluoperazine | STELAZINE |

13.7 Antipsychotics - Thioxanthenes

| | |
|---------------|--------|
| * thiothixene | NAVANE |
|---------------|--------|

13.8 Antipsychotics - Butyrophenones

| | |
|---------------|--------|
| * haloperidol | HALDOL |
|---------------|--------|

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | |
|--|-------------------------|
| 13.9 Antipsychotics - Dibenzoxazepines | |
| * loxapine | LOXITANE |
| * clozapine | CLOZARIL |
| 13.10 Antipsychotics - Dihydroindolones | |
| molindone | MOBAN |
| 13.11 Antipsychotics - Benzisoxazoles | |
| ziprasidone | GEODON |
| * risperidone | RISPERDAL |
| risperidone injection, long-acting | RISPERDAL CONSTA |
| * risperidone orally disintegrating | RISPERDAL M TAB (PE) |
| 13.12 Antipsychotics - Thienbenzodiazepines | |
| quetiapine | SEROQUEL |
| * olanzapine | ZYPREXA (QL) |
| * olanzapine orally disintegrating | ZYPREXA ZYDIS (PE) (QL) |
| 13.13 Antipsychotics - Diphenylbutylpiperidine | |
| pimozide | ORAP |
| aripiprazole | ABILIFY |
| aripiprazole orally disintegrating | ABILIFY DISCMELT (PE) |
| 13.14 Antipsychotics - Quinolinone Derivatives | |
| aripiprazole | ABILIFY |
| aripiprazole | ABILIFY DISCMELT (PE) |
| 13.15 Cerebral Stimulants | |
| * dextroamphetamine | DEXEDRINE (QL) |
| * methylphenidate | RITALIN (QL) |
| * methylphenidate sustained release | RITALIN SR (QL) |
| methylphenidate extended release | METADATE CD (QL) |
| * amphetamine mixture | ADDERALL (QL) |
| * methylphenidate extended release | CONCERTA (QL) |
| * amphetamine mixture extended release | ADDERALL XR (QL) |
| lisdexamfetamine | VYVANSE (QL) |
| modafinil | PROVIGIL (PE) (QL) |
| sodium oxybate | XYREM |
| 13.16 Anxiolytics, Sedatives, and Hypnotics - Benzodiazepines | |
| * chlordiazepoxide | LIBRIUM |
| * alprazolam immediate release | XANAX |
| * triazolam | HALCION |
| * diazepam | VALIUM |
| diazepam gel | DIASTAT (ST) |
| * oxazepam | SERAX |
| * temazepam | RESTORIL |
| * lorazepam | ATIVAN |
| 13.17 Anxiolytics, Sedatives & Hypnotics - misc. | |
| * buspirone | BUSPAR |
| * chloral hydrate | NOCTEC |
| eszopiclone | LUNESTA (PE) (QL) |
| * meprobamate | MEPROBAMATE |
| ramelteon | ROZEREM (PE) (QL) |
| * zolpidem | AMBIEN (QL) |
| * zolpidem CR | AMBIEN CR (PE) (QL) |
| * zaleplon | SONATA |
| 13.18 Antimanic agents | |
| * lithium carbonate immediate release | ESKALITH |
| * lithium citrate syrup | LITHIUM CITRATE |
| * lithium carbonate sustained release | LITHOBID |
| 13.19 Alzheimer's | |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|--------------|---|--------------------------|
| | * donepezil 5mg, 10mg | ARICEPT (QL) |
| | * galantamine | RAZADYNE |
| | tacrine | COGNEX |
| | * rivastigmine cap., sol. | EXELON |
| | memantine | NAMENDA |
| 13.20 | Psychotherapeutics - misc. | |
| | atomoxetine | STRATTERA (ST) |
| 13.21 | Antidepressants -NSRI'S | |
| | * venlafaxine | EFFEXOR |
| | * venlafaxine sustained release capsules | EFFEXOR XR (ST) (QL) |
| | * venlafaxine hcl extended release tablets | VENLAFAXINE ER (ST) (QL) |
| | duloxetine | CYMBALTA (PE) (QL) |
| 14 | Gastro-Intestinal Agents | |
| 14.1 | Antidiarrheal agents | |
| | * diphenoxylate/atropine | LOMOTIL |
| 14.2 | Cathartics and laxatives | |
| | * lactulose | CONSTULOSE |
| | lubiprostone | AMITIZA (ST) (QL) |
| | * polyethylene glycol/electrolytes | COLYTE |
| | * polyethylene glycol/electrolytes | GLYCOLAX |
| | polyethylene glycol/electrolytes | GOLYTELY |
| | polyethylene glycol/electrolytes | NULYTELY |
| | polyethylene glycol/electrolytes and bisacodyl | HALFLYTELY |
| 14.3 | Pancreatic enzymes | |
| | pancrelipase | CREON |
| | pancrelipase | PANCREAZE |
| 14.4 | Antiemetics | |
| | aprepitant caps | EMEND CAP (PE) (QL) |
| | dolasetron tabs | ANZEMET (PE) (QL) |
| | * granisetron tabs | KYTRIL TAB (ST) (QL) |
| | * prochlorperazine maleate | COMPAZINE |
| | * promethazine | PHENERGAN |
| | * meclizine | ANTIVERT |
| | * trimethobenzamide | TIGAN |
| | * ondansetron tab | ZOFRAN TAB (QL) |
| | * ondansetron ODT | ZOFRAN ODT (QL) |
| | scopolamine | TRANSDERM SCOP |
| 14.5 | Anti-Ulcer Drugs - H2 Antagonists | |
| | * cimetidine | TAGAMET |
| | * famotidine | PEPCID |
| | * nizatidine | AXID |
| | * ranitidine | ZANTAC |
| 14.6 | Anti-Ulcer Drugs - misc. | |
| | * misoprostol | CYTOTEC |
| | * sucralfate | CARAFATE |
| | * lansoprazole | PREVACID (QL) |
| | lansoprazole delayed release orally | |
| | * disintegrating tab | PREVACID SOLUTAB (PE) |
| | * pantoprazole | PROTONIX (QL) |
| | rabeprazole | ACIPHEX (ST) (QL) |
| | * omeprazole | PRILOSEC (QL) |
| | * omeprazole/sod bicarbonate capsule | ZEGERID (QL) |
| | omeprazole/sod bicarbonate powder pkt. 20- 1100, 40-1100mg | ZEGERID PDR PKT (QL) |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|---|----------------------------|
| | omeprazole/sod bicarbonate powder pkt. 20-1680, 40-1680mg | ZEGERID PDR PKT (ST) (QL) |
| | bismuth subsalicylate/metronidazole/tetracycline | HELIDAC |
| 14.7 | Antispasmodics | |
| | alose tron | LOTRONEX |
| | * dicyclomine | BENTYL |
| | * hyoscyamine | LEVBID/LEVSIN |
| | * metoclopramide | REGLAN |
| | * propantheline | PRO-BANTHINE |
| 14.8 | GI Anti-Inflammatory | |
| | * hydrocortisone suppositories | ANUSOL-HC |
| | * hydrocortisone enema | CORTENEMA |
| | * sulfasalazine | AZULFIDINE |
| | pramoxine/hydrocortisone foam | PROCTOFOAM HC |
| | mesalamine | ASACOL (ST) |
| | mesalamine | PENTASA (ST) |
| | olsalazine | DIPENTUM (ST) |
| | * mesalamine enemas | ROWASA |
| | * budesonide | ENTOCORT EC |
| | * balsalazide | COLAZAL |
| 14.9 | Gallstone Solubilizing Agents | |
| | * ursodiol | ACTIGALL |
| | * ursodiol 250 | URSO 250 |
| | * ursodiol 500 | URSO FORTE |
| 15 | Anti-Diabetic Agents | |
| 15.1 | Insulins | |
| | insulins | NOVOLIN |
| | insulins | HUMULIN |
| | insulin aspart | NOVOLOG, NOVOLOG MIX 70/30 |
| | insulin glargine | LANTUS |
| | insulin detemir | LEVEMIR |
| | insulin lispro | HUMALOG |
| | insulin lispro protamine/insulin lispro | HUMALOG MIX |
| 15.2 | Sulfonylureas | |
| | * glyburide | DIABETA, MICRONASE |
| | * glipizide | GLUCOTROL |
| | * tolazamide | TOLINASE |
| | * glimepiride | AMARYL |
| | * glipizide sustained release | GLUCOTROL XL |
| 15.3 | Agents - misc. | |
| | * acarbose | PRECOSE |
| | glucagon | GLUCAGON |
| | * glyburide/metformin | GLUCOVANCE |
| | * metformin | GLUCOPHAGE |
| | * metformin ER | GLUCOPHAGE XR |
| | * metformin/glipizide | METAGLIP |
| | metformin/pioglitazone | ACTOPLUS MET (ST) |
| | metformin/repaglinide | PRANDIMET (ST) |
| | metformin/rosiglitazone | AVANDAMET (ST) |
| | * nateglinide | STARLIX |
| | pioglitazone | ACTOS (ST) |
| | pioglitazone/glimepiride | DUETACT (ST) |
| | pramlintide | SYMLIN (PE) |
| | repaglinide | PRANDIN |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | |
|-----------------------|----------------------|
| rosiglitazone | AVANDIA (ST) |
| exenatide | BYETTA (ST) (QL) |
| liraglutide | VICTOZA (ST) (QL) |
| saxagliptin | ONGLYZA (PE) (QL) |
| saxagliptin/metformin | KOMBIGLYZE (PE) (QL) |
| sitagliptin | JANUVIA (ST) (QL) |
| sitagliptin/metformin | JANUMET (ST) (QL) |

16 Hormones & Synthetic Substitutes

16.1 Adrenals

| | |
|---------------------------|-----------|
| * dexamethasone | DECADRON |
| * fludrocortisone acetate | FLORINEF |
| * hydrocortisone | CORTEF |
| * methylprednisolone | MEDROL |
| * prednisolone | PEDIAPRED |
| * prednisone | DELTASONE |

16.2 Androgens

| | |
|--------------------------------|------------------------|
| * danazol | DANOCRINE |
| testosterone cypionate | DEPO-TESTOSTERONE (PE) |
| testosterone enanthate | DELATESTRYL (PE) |
| testosterone topical gel | ANDROGEL (PE) (QL) |
| testosterone topical gel | FORTESTA (PE) (QL) |
| testosterone topical gel | TESTIM (PE) (QL) |
| testosterone transdermal patch | ANDRODERM (PE) (QL) |

16.3 Contraceptives

| | |
|---|-----------------------|
| desogestrel 0.15mg/estradiol estradiol * 30mcg | DESOGEN, ORTHO-CEPT |
| desogestrel 0.1, 0.125, 0.15mg/ethinyl * estradiol 25mcg | CYCLESSA |
| desogestrel 0.15mg/ethinyl estradiol 20, * 10mcg | MIRCETTE |
| dienogest/estradiol valerate | NATAZIA |
| drospirenone 3mg/ethinyl estradiol 20mcg * (GIANVI) | YAZ |
| * drospirenone 3mg/estradiol 30mcg (Ocella) | YASMIN |
| drospirenone 3mg/ethinyl estradiol 0.02mg/levomefolate 0.451mg | BEYAZ |
| drospirenone 3mg/ethinyl estradiol 0.03mg/levomefolate 0.451mg | SAFYRAL |
| * ethynodiol 1mg/estradiol 35mcg | DEMULEN 1/35 |
| * ethynodiol 1mg/estradiol 50mcg | DEMULEN 1/50 |
| etonogestrel/eyhinyl estradiol vaginal | NUVARING |
| levonorgestrel 0.15mg/ethinyl estradiol * 30mcg | NORDETTE |
| levonorgestrel 0.09mg/ethinyl estradiol * 20mcg (Amethyst) | LYBREL |
| * levonorgestrel 0.1mg/estradiol 20mcg | ALESSE |
| * levonorgestrel 0.75mg | PLAN B |
| * levonorgestrel triphasic/estradiol triphasic | TRI-LEVLEN, TRIPHASIL |
| levonorgestrel 0.10mg/ethinyl estradiol 20mcg | LOSEASONIQUE |
| levonorgestrel 0.15mg/ethinyl estradiol 30mcg | SEASONIQUE |
| levonorgestrel/ethinyl estradiol (Quasense, * Jolessa) | SEASONALE |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | |
|--|--|
| norelgestromin 0.15mg/ ethinyl estradiol 0.02mg/24hr | ORTHO EVRA |
| * norethindrone 0.35mg norethindrone 0.5, 1mg/ethinyl estradiol 35mcg | NOR-QD, ORTHO MICRONOR NECON 10/11 |
| * norethindrone 0.4mg/ethinyl estradiol 35mcg | OVCON-35 |
| norethindrone 1mg/ethinyl estradiol 50mcg norethindrone 0.5mg/ethinyl estradiol 35mcg | OVCON-50 BREVICON, MODICON |
| * norethindrone 1mg/ethinyl estradiol 35mcg | ORTHO-NOVUM 1/35 |
| * norethindrone 1mg/mestranol 50mcg norethindrone 0.5, 1, 0.5mg/ethinyl estradiol 35mcg | ORTHO-NOVUM 1/50 TRI-NORINYL |
| norethindrone 1mg/ethinyl ethinyl estradiol 20, 30, 35mcg/ ferrous fumarate 1mg norethindrone 1.5mg/ethinyl estradiol 30mcg | ESTROSTEP FE LOESTRIN FE 1.5/30 LOESTRIN 1/20, LOESTRIN FE 1/20 |
| * norethindrone 1mg/ethinyl estradiol 20mcg norethindrone 0.5, 0.75, 1mg/ethinyl estradiol 35mcg | ORTHO-NOVUM 7/7/7 |
| norethindrone 0.75mg/ethinyl estradiol 30mcg, ferrous fumarate 1mg norgestimate 0.25mg/ethinyl estradiol 35mcg | LOESTRIN 24 FE ORTHO-CYCLEN |
| * norgestimate 0.18, 0.215, 0.25mg/ethinyl estradiol 25mcg | ORTHO TRI-CYCLEN LO |
| * norgestimate 0.18, 0.215, 0.25mg /ethinyl estradiol 35mcg | ORTHO TRI-CYCLEN |
| * norgestrel 0.5mg/estradiol 50mcg * norgestrel 0.3mg/ethinyl estradiol 30mcg | OVRAL LO/OVRAL |

16.4 Estrogens

| | |
|--|--------------------|
| conjugated estrogens | CENESTIN |
| conjugated estrogens | PREMARIN |
| conjugated estrogens | PREMARIN VAGINAL |
| esterified estrogens | MENEST |
| * estradiol | ESTRACE |
| estradiol | ESTRACE VAGINAL |
| estradiol | ESTRING |
| estradiol | FEMRING |
| estradiol vaginal tablet | VAGIFEM |
| * estropipate | ORTHO-EST |
| conjugated estrogens/medroxyprogesterone | PREMPHASE, PREMPRO |
| * estradiol patch, weekly | CLIMARA |
| estradiol patch, weekly | MENOSTAR |
| estradiol patch, bi-weekly | ALORA |
| estradiol patch, bi-weekly | ESTRADERM |
| estradiol patch, bi-weekly | VIVELLE-DOT |
| estradiol topical emulsion | ESTRASORB |
| estradiol topical gel 0.06% | ESTROGEL |
| estradiol topical gel 0.1% | DIVIGEL |
| estradiol transdermal spray | EVAMIST |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|--|--------------------------|
| | estradiol/norethindrone tablets 5mcg/1mg | |
| | * (Jinteli) | FEMHRT |
| | estradiol/norethindrone tablets 2.5mcg/0.5mg | FEMHRT LOW DOSE |
| | estradiol/norethindrone tablets | ACTIVELLA |
| | estradiol/norgestimate | PREFEST |
| | esterified estrogen/testosterone | ESTRATEST, ESTRATEST HS |
| | estradiol/norethindrone patch | COMBIPATCH (ST) |
| | raloxifene | EVISTA |
| 16.5 | Progestins | |
| | * medroxyprogesterone | CYCRIN |
| | * norethindrone 5mg | AYGESTIN |
| | progesterone micronized | PROMETRIUM |
| | * medroxyprogesterone Inj. | DEPO-PROVERA |
| 16.6 | Infertility | |
| | * clomiphene | SEROPHENE |
| 17 | Endocrine Agents | |
| 17.1 | Osteoporosis Prevention | |
| | * alendronate | FOSAMAX |
| | alendronate/cholecalciferol | FOSAMAX PLUS D |
| | * calcitonin-salmon nasal spray | MIACALCIN |
| | * etidronate | DIDRONEL |
| | miacalcin injection | MIACALCIN |
| | risedronate | ACTONEL |
| | risedronate | ATELVIA |
| | risedronate/calcium carbonate | ACTONEL WITH CALCIUM |
| | teriparatide | FORTEO (PE) (SP) |
| 17.2 | Pituitary | |
| | * desmopressin injection | DDAVP INJECTION (PE) |
| | * desmopressin acetate nasal spray | DDAVP NASAL SPRAY |
| | * desmopressin tablets | DDAVP TABLETS |
| | | NORDITROPIN, NORDITROPIN |
| | | NORDIFLEX, NORDITROPIN |
| | somatropin | FLEXPRO, (PE) (SP) |
| | somatropin | TEV-TROPIN (PE) (SP) |
| 17.3 | Other Endocrine | |
| | doxercalciferol | HECTOROL |
| | mecasermin | INCRELEX (PE) (SP) |
| | * octreotide acetate | SANDOSTATIN |
| 17.4 | Thyroid Agents | |
| | * levothyroxine tab | LEVOTHROID, LEVOXYL |
| | * levothyroxine tab | SYNTHROID |
| | * liothyronine | CYTOMEL |
| | thyroid (porcine) | ARMOUR THYROID |
| | thyroid (porcine) 48.75, 97.5, 260, 325mg | NATURE-THROID |
| 17.5 | Antithyroid Agents | |
| | * propylthiouracil | PROPYLTHIOURACIL |
| | * methimazole | TAPAZOLE |
| 18 | Oxytocics | |
| 18.1 | Oxytocics - misc. | |
| | * ergonovine maleate | ERGOTRATE |
| | methylergonovine maleate tab | METHERGINE |
| 19 | Diuretics | |
| 19.1 | Loop | |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|-------------|--|---------------------|
| | * bumetanide tablets | BUMEX |
| | ethacrynic acid | EDECIN |
| | * furosemide | LASIX |
| 19.2 | Thiazides | |
| | * hydrochlorothiazide | ORETIC |
| | * metolazone | ZAROXOLYN |
| | * chlorthalidone | CLOPRES |
| 19.3 | Potassium-sparing diuretics | |
| | * amiloride | MIDAMOR |
| | * amiloride/hydrochlorothiazide | MODURETIC |
| | * spironolactone | ALDACTONE |
| | * spironolactone/hydrochlorothiazide | ALDACTAZIDE |
| | triamterene | DYRENIUM |
| | * triamterene/hydrochlorothiazide | DYAZIDE, MAXZIDE |
| 20 | Electrolyte Replacements | |
| 20.1 | Alkalinizing agents | |
| | * potassium citrate | UROKIT-K |
| 20.2 | Potassium supplements | |
| | * potassium cl controlled release | KLOR-CON |
| | * potassium cl powder packet | K-LOR |
| | * potassium cl liquid | KAOCHLOR |
| | * potassium chloride microencapsulated CR | KLOR-CON M |
| 20.3 | Phosphate binders | |
| | * calcium acetate | PHOS-LO |
| | sevelamer | RENAGEL |
| | sevelamer | REVELA |
| 20.4 | PTH regulating agent | |
| | cinacalcet | SENSIPAR (PE) |
| 20.5 | Potassium Binders | |
| | * sodium polystyrene sulfonate | KAYEXALATE |
| 20.6 | Acidifying agents | |
| | potassium acid phosphate/sodium acid phosphate | K-PHOS NEUTRAL |
| 21 | Urinary Tract Agents | |
| 21.1 | Antispasmodics | |
| | * oxybutynin | DITROPAN |
| | * oxybutynin XL | DITROPAN XL |
| | tolterodine | DETROL |
| | tolterodine | DETROL LA |
| | oxybutynin transdermal | OXYTROL (ST) |
| | solifenacin | VESICARE |
| | * trospium | SANCTURA (ST) |
| 21.2 | Analgesics | |
| | * phenazopyridine | PYRIDIUM |
| 21.3 | Benign Prostatic Hyperplasia | |
| | * alfuzosin ER | UROXATRAL |
| | dutasteride | AVODART (ST) |
| 22 | Eye Preparations | |
| 22.1 | Anti-infectives | |
| | * sulfacetamide ophth | BLEPH-10 |
| | * bacitracin ophth | BACITRACIN |
| | * erythromycin ophth | ILOTYCIN |
| | * gentamicin ophth | GENOPTIC. GARAMYCIN |
| | * neomycin/polymyxin/gramicidin ophth | NEOSPORIN |
| | * tobramycin ophth | TOBREX |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|--------------|--|--------------------------|
| | * polymixin b/trimethoprim ophth | POLYTRIM |
| | * ofloxacin ophth | OCUFLOX |
| | * ciprofloxacin ophth | CILOXAN |
| | moxifloxacin | VIGAMOX |
| | gatifloxacin | ZYMAR |
| 22.2 | Anti-infectives/steroid | |
| | sulfacetamide/prednisolone ophth | BLEPHAMIDE |
| | * dexamethasone/neomycin/polymyxin ophth | MAXITROL |
| | * neomycin/polymyxin/hc ophth | CORTISPORIN OPHTH |
| | * tobramycin/dexamethasone ophth | TOBRADEX |
| 22.3 | Antivirals | |
| | idoxuridine ophth | HERPLEX |
| | * trifluridine ophth | VIROPTIC |
| 22.4 | Anti-inflammatory agents | |
| | * prednisolone acetate ophth | PRED FORTE, PRED MILD |
| | * prednisolone phosphate ophth | INFLAMASE |
| | * dexamethasone ophth | DECADRON |
| | fluorometholone ophth. suspension | FML FORTE, FML LIQUIFILM |
| | fluorometholone ophth. ointment | FML OINT |
| | loteprednol etabonate 0.5% suspension | LOTEMAX SUSP (ST) |
| | loteprednol etabonate 0.2% | ALREX (ST) |
| | rimexolone | VEXOL |
| 22.5 | Misc. anti-inflammatory agents | |
| | * diclofenac ophth | VOLTAREN |
| | * ketorolac 0.5% ophth | ACULAR |
| | * ketorolac 0.4% ophth | ACULAR LS |
| 22.6 | Carbonic anhydrase inhibitors | |
| | * acetazolamide | DIAMOX |
| | brinzolamide ophth | AZOPT |
| | * dorzolamide ophth | TRUSOPT DROPS |
| | * dorzolamide/timolol | COSOPT |
| | * methazolamide | NEPTAZANE |
| 22.7 | Miotics | |
| | * pilocarpine ophth | ISOPTO CARPINE |
| | carbachol ophth | ISOPTO CARBACHOL |
| | echothiophate iodide ophth | PHOSPHOLINE IODIDE |
| 22.8 | Mydriatics | |
| | * atropine sulfate ophth | ISOPTO ATROPINE |
| | * cyclopentolate ophth | CYCLOGEL |
| | * homatropine ophth | ISOPTO HOMATROPINE |
| | scopolamine ophth | ISOPTO HYOSCINE |
| | * tropicamide ophth | MYDRIACYL |
| 22.9 | Antihistamines | |
| | * azelastine ophth | OPTIVAR |
| | * epinastine ophth | ELESTAT |
| | olopatadine 0.1% ophth | PATANOL |
| | olopatadine 0.2% ophth | PATADAY |
| | pemirolast ophth | ALAMAST |
| 22.10 | Glaucoma | |
| | * betaxolol ophth 0.5% | BETOPTIC-S |
| | bimatoprost ophth | LUMIGAN |
| | * brimonidine ophth | ALPHAGAN P |
| | brominidine/timolol | COMBIGAN |
| | * carteolol ophth | OCUPRESS |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|--------------|--|--------------------|
| | * apraclonidine ophth 0.5% | IOPIDINE |
| | * dorzolamide | TRUSOPT |
| | * dorzolamide/timolol | COSOPT |
| | * latanoprost ophth | XALATAN |
| | * levobunolol ophth | BETAGAN |
| | * timolol ophth | TIMOPTIC |
| | * timolol xe ophth | TIMOPTIC XE |
| | travoprost | TRAVATAN Z |
| 22.11 | Mast Cell stabilizers | |
| | * cromolyn sodium 4% ophth | CROLOM |
| | lodoxamide ophth | ALOMIDE |
| | nedocromil | ALOCRIIL |
| 22.12 | Other Ophthalmics | |
| | cyclosporine ophth | RESTASIS |
| 23 | Otic Preparations | |
| 23.1 | Anti-Infectives | |
| | * acetic acid 2% otic | VOSOL |
| | * acetic acid/hydrocortisone otic | VOSOL HC OTIC |
| | * hydrocortisone/neomycin/polymyxin otic | CORTISPORIN OTIC |
| | * ofloxacin otic solution | FLOXIN OTIC |
| | ciprofloxacin 0.3%/dexamethasone 0.1% | CIPRODEX OTIC |
| | ciprofloxacin/hydrocortisone | CIPRO HC OTIC |
| 23.2 | Anesthetics | |
| | * benzocaine/antipyrine otic | AUROGUARD |
| 23.3 | Otic Drugs - misc. | |
| 24 | Oral and Dental Products | |
| 24.1 | Oral and Dental Products - misc. | |
| | * lidocaine viscous | VISCOUS XYLOCAINE |
| | * triamcinolone in orabase 0.1% | ORALONE PASTE |
| 25 | Skin & Mucous Membrane Agents | |
| 25.1 | Antibiotics, topical | |
| | * gentamicin sulfate topical | GARAMYCIN TOPICAL |
| | * metronidazole topical cream | METROCREAM |
| | * metronidazole topical gel | METROGEL |
| | * mupirocin topical ointment | BACTROBAN OINTMENT |
| | * silver sulfadiazine topical | SILVADENE |
| 25.2 | Antivirals | |
| | acyclovir topical | ZOVIRAX |
| | penciclovir topical | DENAVIR |
| 25.3 | Antifungals | |
| | * nystatin/triamcinolone topical | MYCOLOG II |
| | * nystatin topical | NILSTAT |
| | * econazole topical | SPECTAZOLE |
| | * ciclopirox topical 0.77% | LOPROX |
| | * ciclopirox 1% shampoo | LOPROX shampoo |
| | * ciclopirox 8% nail lacquer | PENLAC (QL) |
| | * clotrimazole/betamethasone diprop. topical | LOTRISONE |
| | * ketoconazole topical cream, shampoo | NIZORAL |
| 25.4 | Scabicides & pediculicides | |
| | crotamiton | EURAX |
| | * lindane | KWELL |
| | * permethrin 5% | ELIMITE |
| 25.5 | Local Anti-Infectives - misc. | |
| | * selenium sulfide 2.5% | SELSUN |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|--------------|---|---------------------|
| | hexachlorophene cleaning emulsion | PHISOHEX |
| 25.6 | Anti-Inflammatory Agents - low potency | |
| | * alclometasone dipropionate oint | ACLOVATE |
| | * desonide topical | DESOWEN |
| | * hydrocortisone/pramoxine | PROCTOCREAM-HC |
| | * fluocinolone acetonide topical | SYNALAR |
| | * hydrocortisone topical | HYTONE |
| 25.7 | Anti-Inflammatory Agents - medium potency | |
| | * triamcinolone topical | KENALOG |
| | * betamethasone valerate topical | VALISONE |
| | * mometasone 1% topical | ELOCON |
| | * desoximetasone topical - LP | TOPICORT LP |
| | * hydrocortisone valerate topical | WESTCORT |
| 25.8 | Anti-Inflammatory Agents - high potency | |
| | betamethasone dipropionate augmented | |
| | * topical | DIPROLENE |
| | * betamethasone dipropionate topical | DIPROSONE, MAXIVATE |
| | * desoximetasone topical | TOPICORT |
| | * fluocinonide topical | LIDEX |
| | * mometasone topical | ELOCON |
| | * triamcinolone topical | ARISTOCORT |
| 25.9 | Anti-Inflammatory Agents - very high potency | |
| | * augmented betamethasone dipropionate | DIPROLENE AF |
| | * clobetasol topical crm., gel, oint., sol. | TEMOVATE |
| | * halobetasol topical | ULTRAVATE |
| 25.10 | Antipruritics & Local Anesthetics | |
| | * lidocaine cream, gel, ointment | XYLOCAINE |
| | lidocaine transdermal | LIDODERM (PE) (QL) |
| | * lidocaine viscous 2% solution | XYLOCAINE VISCOUS |
| 25.11 | Anti-Acne - Antibacterial | |
| | azelaic acid topical 15% | FINACEA |
| | azelaic acid topical 20% | AZELEX |
| | * clindamycin topical 1% gel, lot, sol | CLEOCIN T |
| | * benzoyl peroxide/clindamycin | BENZACLIN |
| | benzoyl peroxide/clindamycin | DUAC |
| | * benzoyl peroxide/erythromycin | BENZAMYCIN |
| | * erythromycin topical | A/T/S |
| 25.12 | Anti-Acne - Cell Stimulants and Proliferants | |
| | * tretinoin topical | RETIN-A (AG) |
| | * adapalene 0.1% topical crm., gel | DIFFERIN (AG) |
| | tazarotene topical | TAZORAC |
| 25.13 | Anti-Acne - Keratolytic Agents | |
| | * benzoyl peroxide/sulfur | SULFOXYL LOTION |
| 25.14 | Anti-Acne - Oral Agents | |
| | * isotretinoin | AMNESTEEM |
| 25.15 | Skin & Mucous Membrane Agents - misc. | |
| | * fluorouracil topical | EFUDEX |
| | * imiquimod 5% topical crm | ALDARA |
| | * papain/urea/chlorofyllin copper | ALLANFILLENZYME |
| | dapsone topical | ACZONE (PE) |
| | becaplermin | REGRANEX |
| 25.16 | Antipsoriatics | |
| | tazarotene | TAZORAC |
| | * calcipotriene | DOVONEX |
| 25.17 | Vaginal Preparations | |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | | |
|--------------|---|---------------------------|
| | acetic acid vaginal jelly | ACI-JEL |
| | * metronidazole vaginal | METROGEL-VAGINAL |
| | * terconazole vaginal | TERAZOL |
| | clindamycin vaginal | CLEOCIN VAGINAL CREAM |
| 25.18 | Topical Immunomodulators | |
| | pimecrolimus ointment | ELIDEL (PE) |
| | tacrolimus ointment | PROTOPIC (PE) |
| 26 | Vitamins and Minerals | |
| 26.1 | Vitamin B | |
| | * folic acid | FOLIC ACID |
| 26.2 | Vitamin D | |
| | * calcitriol | ROCALTROL |
| | doxercalciferol | HECTORAL |
| | * ergocalciferol | DRISDOL |
| 26.3 | Vitamin K Activity | |
| | phytonadione | MEPHYTON |
| 26.4 | Multivitamins | |
| | * b-complex w/ c & folic acid 1mg cap | NEPHROCAPS |
| | * b-complex w/ c & folic acid 1mg tab | STROVITE |
| | * prenatal vitamins (Rx only) | PRENATAL VITAMINS |
| | * multivitamins/fluoride-iron drops | POLY-VIT/FE DROP/FL |
| | * multivitamins w/ fluoride chew tab | MULTIVIT/FL CHW |
| | * multivitamins w/ fluoride drops | POLY-VIT-FL |
| | * renal multivitamin (Rx) | NEPHRO-VITE RX |
| 26.5 | Iron Supplements | |
| 26.6 | Products - misc. | |
| | * sodium fluoride | LURIDE |
| 27 | Alcohol Abuse Prevention/Smoking Cessation | |
| 27.1 | Alcohol Abuse Prevention - misc. | |
| | acamprosate | CAMPRAL (PE) (QL) |
| | * disulfiram | ANTABUSE |
| | * naltrexone tablet | REVIA |
| 27.2 | Smoking Cessation | |
| | * bupropion sustained release | ZYBAN (QL) |
| | nicotine nasal spray | NICOTROL NASAL SPRAY (QL) |
| | varenicline | CHANTIX (QL) |
| | nicotine inhaler | NICOTROL INHALER (QL) |
| 28 | Devices/Diagnostic Aids | |
| 28.1 | Devices/Diagnostic Aids - misc. | |
| | sodium cl 0.9%, sterile neb sol | |
| | spacer for inhalers | |
| | insulin syringes, disposable lancets | |
| | peak flow meter | |
| | glucose blood test strips | ACCU-CHEK (QL) |
| 29 | Anti-Obesity | |
| | * phentermine | ADIPEX-P (PE) |
| | orlistat | XENICAL (PE) |
| 30 | Opioid Dependence | |
| | * buprenorphine | SUBUTEX (PE) (QL) |
| | buprenorphine/naloxone | SUBOXONE (PE) (QL) |
| | * naltrexone tablet | REVIA |
| 31 | Multiple Sclerosis | |
| | dalfampridine | AMPYRA (PE) (SP) (QL) |
| | glatiramir | COPAXONE (SP) |

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

| | |
|--------------------|-------------------|
| interferon beta-1a | AVONEX (SP) |
| interferon beta-1a | REBIF (PE) (SP) |
| interferon beta-1b | EXTAVIA (PE) (SP) |

32 Miscellaneous

| | |
|------------------------------|--------------|
| C1 esterase inhibitor, human | CINRYZE (PE) |
| riluzole | RILUTEK |

DISCLAIMER

Please be sure a Prescription Drug benefit is part of your specific coverage before consulting this listing. If you do not know which list is correct, please contact the Presbyterian Customer Service Center at (505) 923-5678 or toll-free at 1-800-356-2219, Monday through Friday from 7:00 a.m. to 6:00 p.m. TTY users may call 1-877-298-7407.

Coverage for some drugs may be limited to specific dosage forms and/or strengths. Your benefit design determines what is covered for you and what your copayment will be. Please refer to your benefit materials for your specific coverage information.

The medications listed on this Formulary/Preferred Drug Listing (PDL) are subject to change pursuant to the Formulary/PDL management activities of Presbyterian Health Plan. This list is not all-inclusive nor does it imply a guarantee of coverage. In addition, coverage for some drugs listed may be limited to specific dosage forms and/or strengths. Substitution of a generic product for a brand-name drug is mandatory when a generic equivalent is available. If a member requests the brand-name drug in this situation, a Pharmacy Exception may be required and the member must pay the difference in cost between the generic and branded versions. Non-formulary medications are not considered for coverage unless trial and failure of Formulary alternatives are documented.

Explanation of terms in your formulary.

You will see these indicators next to some drug names:

1. **Pharmacy Exception (PE)** -- a drug that requires prior approval before the Plan will cover it, and when the patient meets the established criteria. The doctor must submit a Pharmacy Exception Form. The doctor can submit the request by fax, phone, or regular mail.

2. **Step Edit (ST)** -- a drug that requires a prescription history of specific drugs in the pharmacy claims or data system, and these specific drugs must be taken during a given time frame. After the specific drugs have been taken within the given time frame, online coverage of the newly-prescribed drug occurs at the pharmacy. Step Edits make it easier to access drugs that would normally require a Pharmacy Exception.

3. **Medical Exception** -- a drug that is not on the Plan's formulary. Non-formulary drugs require an Exception to the formulary due to allergy, adverse reactions, or no response to all formulary drugs.

4. **Quantity Limit (QL)** -- a coverage limit on the medication quantity covered for a defined days' supply (usually 30 or 90 days) based on safety, efficacy and/or dose optimization issues.

5. **Age Limitation (AG)** -- a coverage limit based on minimum or maximum age of the member imposed as a result of safety, efficacy or dosage form considerations.

6. **Specialty (SP)** (Tier 4 medications obtained through the pharmacy benefit) -- Tier 4 medications are defined as high cost (greater than \$600 per 30 day supply) injectable, infused, oral or inhaled drugs that generally require complex care and supervision. These medications involve unique distribution and are usually provided by a specialty pharmacy vendor. Specialty pharmaceuticals are self-administered, meaning they are administered by the patient or to the patient by a family member or caregiver.

**2011 PHP Commercial 2-Tier Closed Formulary
by Therapeutic Class**

7. **Medical Drugs (MED)** (Medications obtained through the medical benefit)-- Medical drugs are defined as medications administered in the office or facility that require a health care professional to administer. These medications include, but are not limited to, injectable, infused, oral or inhaled drugs. They may involve unique distribution and may be provided by a specialty pharmacy vendor. Some Medical Drugs may require Benefit Certification before they can be obtained. Office administered applies to all outpatient settings including, but are not limited to, physician's offices, emergency rooms, urgent care facilities and outpatient surgery facilities. For a complete list of Medical Drugs and to determine which require Benefit Certification please see the Presbyterian Pharmacy web site at:
<http://www.phs.org/PHS/programs/pharmacy/formulary/index.htm>

* = Generics preferred/Generic equivalent available.