

Geographic Availability Standards

TABLE A: Geographic Availability Study of Presbyterian Participating Providers for New Mexico Commercial/ASO and Medicare Advantage

Population		Provider Type	Accessibility		Ratio
1.	>= 50,000	PCP *	2 within 20 miles or 20 minutes		90%
2.	< 50,000	PCP *	2 within 60 miles or 60 minutes		90%
3.	>= 50,000	Acute Care Hospital, (including but not limited to surgical facilities for major and minor surgeries, and ambulatory surgical facilities)	1 within 30 miles or 30 minutes		90%
4.	< 50,000	Acute Care Hospital, (including but not limited to surgical facilities for major and minor surgeries, and ambulatory surgical facilities)	1 within 60 miles or 60 minutes		90%
5.	>= 3,000	Home Health Care Provider	At least 1		
6.	>= 3,000	Tertiary and Specialized Facilities (for provision of: regional perinatal services, tertiary pediatric services, diagnostic cardiac catheterization services, inpatient psychiatric services for adults and children, therapeutic radiation provider, MRI center, licensed renal dialysis center, diagnostic radiology provider to include x-ray, ultrasound and CAT scan)	At least 1 per county		
			Commercial	Medicare	Ratio
7.	= 10,000	General Practice/ Family Practice (when not acting in the role of a PCP)	6.67 (per DOI regs)	14.29	
	Urban	General Practice/ Family Practice (when not acting in the role of a PCP)	2 within 20 miles or 20 minutes		90%
	Rural		2 within 60 miles or 60 minutes		90%
	Frontier		2 within 60 miles or 60 minutes		90%
8.	=10,000	General Internal Medicine (when not acting in the role of a PCP)	6.67 (per DOI regs)	14.29	
	Urban	General Internal Medicine (when not acting in the role of a PCP)	2 within 20 miles or 20 minutes		90%
	Rural		2 within 60 miles or 60 minutes		90%
	Frontier		2 within 60 miles or 60 minutes		90%
9.	= 10,000	Pediatrics (when not acting in the role of a PCP)	6.67 (per DOI regs)	0	
	Urban	Pediatrics (when not acting in the role of a PCP)	2 within 20 miles or 20 minutes		90%
	Rural		2 within 60 miles or 60 minutes		90%
	Frontier		2 within 60 miles or 60 minutes		90%
			Commercial	Medicare	Ratio
10.	= 10,000	Allergy	0.17	0.11	
	Urban	Allergy	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
11.	= 10,000	Anesthesiology	0.47	1.74	
	Urban	Anesthesiology (High-Volume Specialist)	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
12.	=10,000	Behavioral Health (all types, excluding Psychiatry)	2	2	
	Urban	Behavioral Health (all types, excluding Psychiatry) (High-Volume Specialist)	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
13.	=10,000	Cardiology (when not acting in the role of a PCP)	0.27	6.24	
	Urban	Cardiology (High-Volume Specialist) (when not acting in the role of a PCP)	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
14.	=10,000	Dermatology	0.10	1.41	
	Urban	Dermatology	1 within 100 miles		90%
	Rural		1 within 200 miles		90%

	Frontier		1 within 300 miles	90%
15.	=10,000	ENT/Otolaryngology	0.35	0.98
	Urban	ENT/Otolaryngology	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
16.	=10,000	Emergency Medicine	0.24	0.47
	Urban	Emergency Medicine	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
17.	=10,000	Gastroenterology	0.12	2.05
	Urban	Gastroenterology (High-Volume Specialist)	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
18.	=10,000	General Surgery	0.43	1.8
	Urban	General Surgery (High-Volume Specialist)	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
19.	=10,000	Neonatology	0.20	0
	Urban	Neonatology	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
20.	=10,000	Neurology	0.40	0.39
	Urban	Neurology	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%

			Commercial	Medicare	Ratio
21.	=10,000	Neurosurgery	0.30	0.08	
	Urban	Neurosurgery	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
22.	=10,000	Oncology (includes Hematology and Radiation)	0.14	0.49	
	Urban	Oncology (includes Hematology and Radiation - High Volume Specialist)	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
23.	=10,000	Ophthalmology	0.49	2.56	
	Urban	Ophthalmology (High-Volume Specialist)	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
24.	=10,000	Orthopedics	0.48	2.43	
	Urban	Orthopedics (High-Volume Specialist)	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
25.	=10,000	Pathology	0.88	1.93	
	Urban	Pathology	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
26.	=10,000	Psychiatry	0.98	1.36	
	Urban	Psychiatry	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
27.	=10,000	Radiology	0.67	1.98	
	Urban	Radiology	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
28.	10,000	OB/GYN (when not acting in the role of a PCP)	0.75	0.54	
	Urban	OB/GYN (High-Volume Specialists)	1 within 100 miles		90%
	Rural	(when not acting in the role of a PCP)	1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
29.	=10,000	Urology	0.18	1.50	
	Urban	Urology	1 within 100 miles		90%
	Rural		1 within 200 miles		90%
	Frontier		1 within 300 miles		90%
30.	Urban	Physical Therapy	1 within 100 miles		90%

	Rural		1 within 200 miles	90%	
	Frontier		1 within 300 miles	90%	
31.	Urban	Occupational Therapy	1 within 100 miles	90%	
	Rural		1 within 200 miles	90%	
	Frontier		1 within 300 miles	90%	
32.	Urban	Podiatric	1 within 100 miles	90%	
	Rural		1 within 200 miles	90%	
	Frontier		1 within 300 miles	90%	
			Commercial	Medicare	Ratio
33.	Urban	DME	1 within 100 miles	90%	
	Rural		1 within 200 miles	90%	
	Frontier		1 within 300 miles	90%	
34.	Urban	Chiropractic Care	1 within 100 miles	90%	
	Rural		1 within 200 miles	90%	
	Frontier		1 within 300 miles	90%	
35.	Urban	Acupuncture	1 within 100 miles	90%	
	Rural		1 within 200 miles	90%	
	Frontier		1 within 300 miles	90%	
36.	Urban	Diagnostic Imaging /Radiology	1 within 100 miles	90%	
	Rural		1 within 200 miles	90%	
	Frontier		1 within 300 miles	90%	

- **13 NMAC 10.13.11.2 3) that one full-time equivalent PCP will be available for every 1,500 enrollees.**

SUMMARY OF PART D PHARMACY ACCESS STANDARDS

Retail Pharmacies	<p>Urban: 1 pharmacy within 2 miles of 90% of Medicare members in an urban area</p> <p>Suburban +: 1 pharmacy within 5 miles of 90% of Medicare members in an suburban area</p> <p>Rural +: 1 pharmacy within 15 miles of 70% of Medicare members in a rural area</p>
Long Term Care Pharmacies (LTC)	Based on CMS formula employing a ratio table ¹ , & comparing it against all contracted LTC pharmacies within a service area, and comparing that data against other Part D contractors' data in the same service area
Home Infusion (HI)	Based on CMS formula employing a ratio table ² , & comparing it against all contracted HI pharmacies within a service area, and comparing that data against other Part D contractors' data in the same service area
I/T/U³	Based on documentation that Part D contractor has attempted to contract with all I/T/U pharmacies in contractor's service area
Mail Order	Unspecified

+ For Medicare Advantage: Rural = Suburban and Frontier = Rural.

¹ The number of nursing home beds in a service area of a Part D plan, relative to the number of LTC pharmacies licensed in within a service area.

² The number of Medicare beneficiaries in a service area to the number of home infusion pharmacies licensed in the service area.

³ Indian Health Service, Indian Tribe and Tribal Urban Organization and Urban Indian Organization

Geographic Availability Study of Presbyterian Participating Providers for New Mexico Medicaid Managed Care and State Coverage Insurance (SCI)

Population		Provider Type	Accessibility	Ratio
≤ 1,500		PCP *	1 per ≤ 1500	
Urban		PCP	1 within 30 miles	90%
Frontier		PCP	1 within 60 miles	90%
Rural		PCP	1 within 45 miles	90%
Urban		Pharmacy	1 within 30 miles	90%
Frontier		Pharmacy	1 within 60 miles	90%
Rural		Pharmacy	1 within 45 miles	90%
1.	=10,000	Allergy	0.17	
	Urban	Allergy	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
2.	=10,000	Anesthesiology	0.47	
	Urban	Anesthesiology (High-Volume Specialist)	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
3.	=10,000	Cardiology	0.27	
	Urban	Cardiology (High-Volume Specialist)	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
4.	=10,000	Dermatology	0.10	
	Urban	Dermatology	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
5.	=10,000	ENT/Otolaryngology	0.27	
	Urban	ENT/Otolaryngology	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
6.	=10,000	Emergency Medicine	0.24	
	Urban	Emergency Medicine	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
7.	=10,000	Gastroenterology	0.12	
	Urban	Gastroenterology (High-Volume Specialist)	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
8.	=10,000	General Surgery	0.43	
	Urban	General Surgery (High-Volume Specialist)	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
9.	=10,000	Neonatology	0.20	
	Urban	Neonatology	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%

Population		Provider Type	Accessibility	Ratio
10.	=10,000	Neurology	0.40	
	Urban	Neurology	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
11.	=10,000	Neurosurgery	0.30	
	Urban	Neurosurgery	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
12.	=10,000	Oncology (includes Hematology and Radiation)	0.14	
	Urban	Oncology (includes Hematology and Radiation - High-Volume Specialist)	1 within 100 miles	90%
	Rural		1 within 200 miles	90%
	Frontier		1 within 300 miles	90%
13.	=10,000	Ophthalmology	0.49	
	Urban	Ophthalmology (High-Volume Specialist)	1 within 100 miles	90%

